






TACK 211




TACK 211001
IN STOCK 现货



TACK 211001
IN STOCK 现货



TACK 211002
IN STOCK 现货



TACK 211002
IN STOCK 现货



TACK 211003
IN STOCK 现货




TACK 211003
IN STOCK 现货



TACK 211005
IN STOCK 现货




TACK 211005
IN STOCK 现货



TACK 211006
IN STOCK 现货




TACK 211006
IN STOCK 现货




▲ IN STOCK 现货

TACK 211001



▲ IN STOCK 现货

TACK 211002



▲ IN STOCK 现货

TACK 211003



▲ IN STOCK 现货

TACK 211005




▲ IN STOCK 现货

TACK 211006


Specification 技术指标

Product Name 产品名称	TACK 211
Product Code 产品编码	TACK 2110
Tufted construction 簇绒结构	Level Loop 平圈
Fiber 纱线	100% PP 丙纶
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/10
Tufted weight(g/m ²) 绒重 (克 / 平方米)	440±5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	3.5 ± 0.5
Total thickness(mm) 总厚度 (毫米)	5.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold