




TACK 230




TACK 230001-07-09
2 : 1 : 7




TACK 230003-04-09




TACK 230007-08-09
1 : 2 : 7



TACK 230007-08-09
1 : 2 : 7



TACK 230008




TACK 230001



TACK 230003



TACK 230004




TACK 230006



TACK 230007



TACK 230008




TACK 230009


Specification 技术指标

Product Name 产品名称	TACK 230
Product Code 产品编码	TACK 230
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	100% PP 100% 丙纶
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m ²) 绒重(克/平方米)	530±5%
Tile size(mm) 地毯尺寸(毫米)	250 x 1000
Pile height(mm) 平均绒高(毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度(毫米)	6.0 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Herringbone
人字铺



Ashlar
上下错位铺



Basketweave
网篮铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn




Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid