






TACK 412




TACK 412001-02




TACK 412002





TACK 412002-03-04




TACK 412002-03-04




TACK 412002-03




TACK 412002.12




TACK 412002-03-04-12



TACK 412002-13




TACK 412002




TACK 412012




TACK 412003



TACK 412013



TACK 412004




TACK 412001


Specification 技术指标

| | |
|---|----------------------------|
| Product Name 产品名称 | 青瓦 |
| Product Code 产品编码 | TACK 412 |
| Tufted construction 簇绒结构 | Multi-Level loop 高低圈绒 |
| Fiber 纱线 | 100% PP 100% 丙纶 |
| Dye method 染色工艺 | Solution Dyed 原液染色 |
| Gauge 针距 | 1/12 |
| Tufted weight(g/m ²) 绒重 (克 / 平方米) | 510 ± 5% |
| Tile size(mm) 地毯尺寸 (毫米) | 333.3x 1000 |
| Pile height(mm) 平均绒高 (毫米) | 4.0 ± 0.5 |
| Total thickness(mm) 总厚度 (毫米) | 6.0 ± 0.5 |
| Standard Backing 标准底背 | Glass fiber reinforced PVC |

Recommended installation methods 建议铺装方式



Ashlar
上下错半



Herringbone
人字铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid